



European Network of
Transmission System Operators
for Electricity

ACKNOWLEDGEMENT DOCUMENT UML MODEL AND SCHEMA

2020-06-30
APPROVED DOCUMENT
VERSION 1.1

2

Table of Contents

3	1	Objective	5
4	2	Acknowledgement_MarketDocument	6
5	2.1	Acknowledgement contextual model	6
6	2.1.1	Overview of the model	6
7	2.1.2	IsBasedOn relationships from the European style market profile	6
8			
9	2.2	Acknowledgement assembly model	7
10	2.2.1	Overview of the model	7
11	2.2.2	IsBasedOn relationships from the European style market profile	8
12			
13	2.2.3	Detailed Acknowledgement assembly model	8
14	2.2.3.1	Acknowledgement_MarketDocument root class	8
15	2.2.3.2	Reason	9
16	2.2.3.3	Time_Period	10
17	2.2.3.4	TimeSeries	10
18	2.2.4	Datatypes	11
19	2.2.5	Acknowledgement_MarketDocument XML schema structure	12
20	2.2.6	Acknowledgement_MarketDocument XML schema	13
21		List of figures	
22		Figure 1 - Acknowledgement contextual model	6
23		Figure 2 - Acknowledgement assembly model.....	7
24		Figure 3 - Acknowledgement_MarketDocument schema structure	12
25		List of tables	
26		Table 1 - IsBasedOn dependency	6
27		Table 2 - IsBasedOn dependency	8
28		Table 3 - Attributes of Acknowledgement assembly model::Acknowledgement_MarketDocument	8
29			
30		Table 4 - Association ends of Acknowledgement assembly model::Acknowledgement_MarketDocument with other classes	9
31			
32		Table 5 - Attributes of Acknowledgement assembly model::Reason	10
33		Table 6 - Attributes of Acknowledgement assembly model::Time_Period	10
34		Table 7 - Association ends of Acknowledgement assembly model::Time_Period with other classes	10
35			
36		Table 8 - Attributes of Acknowledgement assembly model::TimeSeries	10
37		Table 9 - Association ends of Acknowledgement assembly model::TimeSeries with other classes	11
38			
39			

40

Copyright notice:

41 **Copyright © ENTSO-E. All Rights Reserved.**

42 This document and its whole translations may be copied and furnished to others, and derivative
43 works that comment on or otherwise explain it or assist in its implementation may be prepared,
44 copied, published and distributed, in whole or in part, without restriction of any kind, provided
45 that the above copyright notice and this paragraph are included on all such copies and
46 derivative works. However, this document itself may not be modified in any way, except for
47 literal and whole translation into languages other than English and under all circumstances, the
48 copyright notice or references to ENTSO-E may not be removed.

49 This document and the information contained herein is provided on an "as is" basis.

50 **ENTSO-E DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT**
51 **LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT**
52 **INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR**
53 **FITNESS FOR A PARTICULAR PURPOSE.**

54

Maintenance notice:

55 **This document is maintained by the ENTSO-E CIM EG. Comments or remarks are to be**
56 **provided at cim@entsoe.eu**

57

Revision History

Version	Release	Date	Comments
0	1	2019-12-20	First draft of the document.
0	2	2020-02-14	Second draft if the document. Comments from CIM EG were taken into account.
1	0	2020-03-18	Approved by MC.
1	1	2020-06-30	mRID of Document and Timeseries (ID_String type) was enlarged from 35 to 60 characters. Approved by MC.

58

59 1 Objective

60 The purpose of this document is to provide the contextual and assembly UML models and the
61 schema of the Acknowledgement_MarketDocument.

62 The schema of the Acknowledgement_MarketDocument could be used in various business
63 processes.

64 It is not the purpose of this document to describe all the use cases, sequence diagrams,
65 business processes, etc. for which this schema is to be used.

66 This document shall only be referenced in an implementation guide of a specific business
67 process. The content of the business process implementation guide shall be as follows:

- 68 • Description of the business process;
- 69 • Use case of the business process;
- 70 • Sequence diagrams of the business process;
- 71 • List of the schema (XSD) to be used in the business process and versions of the
72 schema;
- 73 • For each schema, dependency tables providing the necessary information for the
74 generation of the XML instances, i.e. when the optional attributes are to be used, which
75 codes from which ENTSO-E codelist are to be used.


76

77 **2 Acknowledgement_MarketDocument**

78 **2.1 Acknowledgement contextual model**

79 **2.1.1 Overview of the model**

80 Figure 1 shows the model.



81

82

Figure 1 - Acknowledgement contextual model

83 **2.1.2 IsBasedOn relationships from the European style market profile**

84 Table 1 shows the traceability dependency of the classes used in this package towards the
85 upper level.

86

Table 1 - IsBasedOn dependency

Name	Complete IsBasedOn Path
Acknowledgement_MarketDocument	TC57CIM::IEC62325::MarketManagement::MarketDocument
MarketParticipant	TC57CIM::IEC62325::MarketCommon::MarketParticipant
MarketRole	TC57CIM::IEC62325::MarketCommon::MarketRole
Process	TC57CIM::IEC62325::MarketManagement::Process
Reason	TC57CIM::IEC62325::MarketManagement::Reason
Received_MarketDocument	TC57CIM::IEC62325::MarketManagement::MarketDocument
Receiver_MarketParticipant	TC57CIM::IEC62325::MarketCommon::MarketParticipant
Time_Period	TC57CIM::IEC62325::MarketManagement::Period
TimeSeries	TC57CIM::IEC62325::MarketManagement::TimeSeries

87

88 2.2 Acknowledgement assembly model

89 2.2.1 Overview of the model

90 Figure 2 shows the model.




Figure 2 - Acknowledgement assembly model

93

94 **2.2.2 IsBasedOn relationships from the European style market profile**

95 Table 2 shows the traceability dependency of the classes used in this package towards the
96 upper level.

97

Table 2 - IsBasedOn dependency

Name	Complete IsBasedOn Path
Acknowledgement_MarketDocument	TC57CIM::IEC62325::MarketManagement::MarketDocument
Reason	TC57CIM::IEC62325::MarketManagement::Reason
Time_Period	TC57CIM::IEC62325::MarketManagement::Period
TimeSeries	TC57CIM::IEC62325::MarketManagement::TimeSeries

98

99 **2.2.3 Detailed Acknowledgement assembly model**

100 **2.2.3.1 Acknowledgement_MarketDocument root class**

101 An electronic document that is used to acknowledge the reception of a document and to provide
102 information concerning its basic validity.

103 Table 3 shows all attributes of Acknowledgement_MarketDocument.

104

Table 3 - Attributes of Acknowledgement assembly model::Acknowledgement_MarketDocument

105

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	mRID ID_String	The unique identification of the document being exchanged within a business process flow.
1	[1..1]	createdDateTime ESMP_DateTime	The date and time of the creation of the document.
2	[1..1]	sender_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- The identification of the party that is the originator of the acknowledgement. The originator of the acknowledgement is identified by a unique coded identification. This value should be the same as that found in the receiver identification of the document being acknowledged.
3	[1..1]	sender_MarketParticipant.marketRole.type MarketRoleKind_String	The identification of the role played by a market player. --- The identification of the role associated with the party that is the originator of the acknowledgement.
4	[1..1]	receiver_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- The identification of the party who is the recipient of the acknowledgement. The recipient of the document is identified by a unique coded identification. This value should be the same as that found in the sender identification of the document being acknowledged.
5	[0..1]	receiver_MarketParticipant.marketRole.type MarketRoleKind_String	The identification of the role played by a market player. --- The identification of the role associated with the party who is the recipient of the acknowledgement.
6	[0..1]	received_MarketDocument.mRID ID_String	The unique identification of the document being exchanged within a business process flow. --- This information identifies the document that has been received. The information is extracted from the received document.

Order	mult.	Attribute name / Attribute type	Description
7	[0..1]	received_MarketDocument.revisionNumber ESMPVersion_String	The identification of the version that distinguishes one evolution of a document from another. --- This information identifies the document that has been received. The information is extracted from the received document.
8	[0..1]	received_MarketDocument.type MessageKind_String	The coded type of a document. The document type describes the principal characteristic of the document. --- This information identifies the document that has been received. The information is extracted from the received document.
9	[0..1]	received_MarketDocument.process.processType ProcessKind_String	The identification of the nature of process that the document addresses. --- This information identifies the document that has been received. The information is extracted from the received document.
10	[0..1]	received_MarketDocument.title PayloadId_String	The identification of the name of the file or the payload that has been transmitted. --- This information identifies the document that has been received. The information is extracted from the received document.
11	[0..1]	received_MarketDocument.createdDateTime ESMP_DateTime	The date and time of the creation of the document. --- This information identifies the document that has been received. The information is extracted from the received document.

106

107 Table 4 shows all association ends of Acknowledgement_MarketDocument with other classes.

108

Table 4 - Association ends of Acknowledgement assembly model::Acknowledgement_MarketDocument with other classes

109

Order	mult.	Class name / Role	Description
12	[0..*]	TimeSeries Rejected_TimeSeries	The time series in the received document that has been rejected during the initial validation process. Association Based On: Acknowledgement contextual model::Acknowledgement_MarketDocument.[] ----- Acknowledgement contextual model::TimeSeries.Rejected_TimeSeries[0..*]
13	[1..*]	Reason Reason	In case of a received document without error, only one Reason element is necessary to acknowledge it. However, if there are errors then there may be as many Reason elements as are necessary to describe any errors discovered in the received document. At least one reason element must appear associated with the header part of the document. The Reason associated with the electronic document header providing different motivations for the creation of the document. Association Based On: Acknowledgement contextual model::Acknowledgement_MarketDocument.[] ----- Acknowledgement contextual model::Reason.Reason[1..*]
14	[0..*]	Time_Period InError_Period	The time interval that is associated with the received document and which contains error. Association Based On: Acknowledgement contextual model::Acknowledgement_MarketDocument.[] ----- Acknowledgement contextual model::Time_Period.InError_Period[0..*]

110

111 2.2.3.2 Reason

112 The motivation of an act.

113 Table 5 shows all attributes of Reason.

114 **Table 5 - Attributes of Acknowledgement assembly model::Reason**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	code ReasonCode_String	The motivation of an act in coded form.
1	[0..1]	text ReasonText_String	The textual explanation corresponding to the reason code.

115

116 **2.2.3.3 Time_Period**

117 The identification of a time interval with errors. It should be noted that the relative position
118 transmit in the original document will have been converted to an absolute time interval whenever
119 errors occur at this level in the acknowledgement document.

120 Table 6 shows all attributes of Time_Period.

121 **Table 6 - Attributes of Acknowledgement assembly model::Time_Period**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	timeInterval ESMP_DateTimeInterval	The start and end date and time for a given interval.

122

123 Table 7 shows all association ends of Time_Period with other classes.

124 **Table 7 - Association ends of Acknowledgement assembly model::Time_Period with
125 other classes**

Order	mult.	Class name / Role	Description
1	[1..*]	Reason Reason	If there are errors at the Time_Period level as many Reason elements as necessary may be used. The reason information associated with a Time_Period providing motivation information. Association Based On: Acknowledgement contextual model::Time_Period.[] ----- Acknowledgement contextual model::Reason.Reason[1..*]

126

127 **2.2.3.4 TimeSeries**

128 The TimeSeries stated as being in error.

129 A set of time-ordered quantities being exchanged in relation to a product.

130 Table 8 shows all attributes of TimeSeries.

131 **Table 8 - Attributes of Acknowledgement assembly model::TimeSeries**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	mRID ID_String	A unique identification of the time series.
1	[0..1]	version ESMPVersion_String	The identification of the version of the time series.

132

133 Table 9 shows all association ends of TimeSeries with other classes.

134 **Table 9 - Association ends of Acknowledgement assembly model::TimeSeries with**
135 **other classes**

Order	mult.	Class name / Role	Description
2	[0..*]	Time_Period InError_Period	The time interval in a TimeSeries that is in error. Association Based On: Acknowledgement contextual model::TimeSeries.[] ----- Acknowledgement contextual model::Time_Period.InError_Period[0..*]
3	[0..*]	Reason Reason	If there are errors at the TimeSeries level as many Reason elements as necessary may be found at that level. The reason information associated with a TimeSeries providing motivation information. Association Based On: Acknowledgement contextual model::TimeSeries.[] ----- Acknowledgement contextual model::Reason.Reason[0..*]


136

137 2.2.4 Datatypes

138 The list of datatypes used for the Acknowledgement assembly model is as follows:

- 139
- 140 • ESMP_DateTimeInterval compound
 - 141 • ESMP_DateTime datatype
 - 142 • ESMPVersion_String datatype
 - 143 • ID_String datatype
 - 144 • MarketRoleKind_String datatype, codelist RoleTypeList
 - 145 • MessageKind_String datatype, codelist MessageTypeList
 - 146 • PartyID_String datatype, codelist CodingSchemeTypeList
 - 147 • PayloadId_String datatype
 - 148 • ProcessKind_String datatype, codelist ProcessTypeList
 - 149 • ReasonCode_String datatype, codelist ReasonCodeTypeList
 - 150 • ReasonText_String datatype
 - 151 • YMDHM_DateTime datatype

152 2.2.5 Acknowledgement_MarketDocument XML schema structure



Generated by XMLSpy

www.altova.com

Figure 3 - Acknowledgement_MarketDocument schema structure

155 2.2.6 Acknowledgement_MarketDocument XML schema

156

157 The schema to be used to validate XML instances is to be identified by:

158 urn:iec62325.351:tc57wg16:451-1:acknowledgementdocument:8:1

```

159 <?xml version="1.0" encoding="utf-8"?>
160 <xs:schema xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
161 xmlns="urn:iec62325.351:tc57wg16:451-1:acknowledgementdocument:8:1"
162 xmlns:sawsdl="http://www.w3.org/ns/sawsdl"
163 xmlns:cimp="http://www.iec.ch/cimprofile"
164 xmlns:xs="http://www.w3.org/2001/XMLSchema"
165 targetNamespace="urn:iec62325.351:tc57wg16:451-1:acknowledgementdocument:8:1"
166 elementFormDefault="qualified" attributeFormDefault="unqualified">
167   <xs:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="urn-
168 entsoe-eu-wgedi-codelists.xsd"/>
169   <xs:element name="Acknowledgement_MarketDocument"
170 type="Acknowledgement_MarketDocument"/>
171   <xs:simpleType name="ID_String"
172 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
173     <xs:restriction base="xs:string">
174       <xs:maxLength value="60"/>
175     </xs:restriction>
176   </xs:simpleType>
177   <xs:simpleType name="ESMP_DateTime"
178 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTime">
179     <xs:restriction base="xs:dateTime">
180       <xs:pattern value="((([0-9]{4})[\-](0[13578]|1[02])[\-](0[1-
181 9]|12)[0-9]|3[01])|([0-9]{4})[\-]((0[469])|(11))[\-](0[1-9]|12)[0-
182 9]|30))T((([01][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-
183 9])Z)|(((13579)[26][02468][048]|13579)[01345789](0)[48]|13579)[01345789][2468][0
184 48]|02468)[048][02468][048]|02468)[1235679](0)[48]|02468)[1235679][2468][048]|[
185 0-9][0-9][13579][26])[\-](02)[\-](0[1-9]|1[0-9]|2[0-9])T((([01][0-9]|2[0-3]):[0-
186 5][0-9]:[0-5][0-
187 9])Z)|(((13579)[26][02468][1235679]|13579)[01345789](0)[01235679]|13579)[0134578
188 9][2468][1235679]|02468)[048][02468][1235679]|02468)[1235679](0)[01235679]|0246
189 8)[1235679][2468][1235679]|0-9][0-9][13579][01345789])[\-](02)[\-](0[1-9]|1[0-
190 9]|2[0-8])T((([01][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9])Z)"/>
191     </xs:restriction>
192   </xs:simpleType>
193   <xs:simpleType name="PartyID_String-base"
194 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
195     <xs:restriction base="xs:string">
196       <xs:maxLength value="16"/>
197     </xs:restriction>
198   </xs:simpleType>
199   <xs:complexType name="PartyID_String"
200 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
201     <xs:simpleContent>
202       <xs:extension base="PartyID_String-base">
203         <xs:attribute name="codingScheme"
204 type="ecl:CodingSchemeTypeList" use="required"/>
205       </xs:extension>
206     </xs:simpleContent>
207   </xs:complexType>
208   <xs:simpleType name="MarketRoleKind_String"
209 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
210     <xs:restriction base="ecl:RoleTypeList"/>
211   </xs:simpleType>

```

```

212     <xs:simpleType name="ESMPVersion_String"
213 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
214     <xs:restriction base="xs:string">
215         <xs:pattern value="[1-9]([0-9]){0,2}"/>
216     </xs:restriction>
217 </xs:simpleType>
218 <xs:simpleType name="MessageKind_String"
219 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
220 <xs:restriction base="ecl:MessageTypeList"/>
221 </xs:simpleType>
222 <xs:simpleType name="ProcessKind_String"
223 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
224 <xs:restriction base="ecl:ProcessTypeList"/>
225 </xs:simpleType>
226 <xs:simpleType name="PayloadId_String"
227 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
228 <xs:restriction base="xs:string">
229 <xs:maxLength value="150"/>
230 </xs:restriction>
231 </xs:simpleType>
232 <xs:complexType name="Acknowledgement_MarketDocument"
233 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketDocument">
234 <xs:sequence>
235     <xs:element name="mRID" type="ID_String" minOccurs="1"
236 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
237 cim16#IdentifiedObject.mRID"/>
238     <xs:element name="createdDateTime" type="ESMP_DateTime"
239 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
240 schema-cim16#Document.createdDateTime"/>
241     <xs:element name="sender_MarketParticipant.mRID"
242 type="PartyID_String" minOccurs="1" maxOccurs="1"
243 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
244 cim16#IdentifiedObject.mRID"/>
245     <xs:element name="sender_MarketParticipant.marketRole.type"
246 type="MarketRoleKind_String" minOccurs="1" maxOccurs="1"
247 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketRole.type"/>
248     <xs:element name="receiver_MarketParticipant.mRID"
249 type="PartyID_String" minOccurs="1" maxOccurs="1"
250 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
251 cim16#IdentifiedObject.mRID"/>
252     <xs:element name="receiver_MarketParticipant.marketRole.type"
253 type="MarketRoleKind_String" minOccurs="0" maxOccurs="1"
254 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketRole.type"/>
255     <xs:element name="received_MarketDocument.mRID"
256 type="ID_String" minOccurs="0" maxOccurs="1"
257 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
258 cim16#IdentifiedObject.mRID"/>
259     <xs:element name="received_MarketDocument.revisionNumber"
260 type="ESMPVersion_String" minOccurs="0" maxOccurs="1"
261 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
262 cim16#Document.revisionNumber"/>
263     <xs:element name="received_MarketDocument.type"
264 type="MessageKind_String" minOccurs="0" maxOccurs="1"
265 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Document.type"/>
266     <xs:element name="received_MarketDocument.process.processType"
267 type="ProcessKind_String" minOccurs="0" maxOccurs="1"
268 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
269 cim16#Process.processType"/>

```



```

270         <xs:element name="received_MarketDocument.title"
271 type="PayloadId_String" minOccurs="0" maxOccurs="1"
272 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Document.title"/>
273         <xs:element name="received_MarketDocument.createdDateTime"
274 type="ESMP_DateTime" minOccurs="0" maxOccurs="1"
275 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
276 cim16#Document.createdDateTime"/>
277         <xs:element name="Rejected_TimeSeries" type="TimeSeries"
278 minOccurs="0" maxOccurs="unbounded"
279 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
280 cim16#MarketDocument.Rejected_TimeSeries"/>
281         <xs:element name="Reason" type="Reason" minOccurs="1"
282 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
283 cim16#MarketDocument.Reason"/>
284         <xs:element name="InError_Period" type="Time_Period"
285 minOccurs="0" maxOccurs="unbounded"
286 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
287 cim16#MarketDocument.InError_Period"/>
288     </xs:sequence>
289 </xs:complexType>
290 <xs:simpleType name="ReasonCode_String"
291 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
292     <xs:restriction base="ecl:ReasonCodeTypeList"/>
293 </xs:simpleType>
294 <xs:simpleType name="ReasonText_String"
295 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
296     <xs:restriction base="xs:string">
297         <xs:maxLength value="512"/>
298     </xs:restriction>
299 </xs:simpleType>
300 <xs:complexType name="Reason"
301 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Reason">
302     <xs:sequence>
303         <xs:element name="code" type="ReasonCode_String" minOccurs="1"
304 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
305 cim16#Reason.code"/>
306         <xs:element name="text" type="ReasonText_String" minOccurs="0"
307 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
308 cim16#Reason.text"/>
309     </xs:sequence>
310 </xs:complexType>
311 <xs:simpleType name="YMDHM_DateTime"
312 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTime">
313     <xs:restriction base="xs:string">
314         <xs:pattern value="((([0-9]{4})[\-](0[13578]|1[02]))[\-](0[1-
315 9]|[12][0-9]|3[01]))|([0-9]{4})[\-]((0[469])|(11))[\-](0[1-9]|[12][0-
316 9]|30))T((([01][0-9]|2[0-3]):[0-5][0-
317 9])Z)|(((13579)[26][02468][048]|13579)[01345789](0)[48]|13579)[01345789][2468][0
318 48]|02468)[048][02468][048]|02468)[1235679](0)[48]|02468)[1235679][2468][048]|[
319 0-9][0-9][13579][26])[\-](02)[\-](0[1-9]|1[0-9]|2[0-9])T((([01][0-9]|2[0-3]):[0-
320 5][0-
321 9])Z)|(((13579)[26][02468][1235679]|13579)[01345789](0)[01235679]|13579)[0134578
322 9][2468][1235679]|02468)[048][02468][1235679]|02468)[1235679](0)[01235679]|0246
323 8)[1235679][2468][1235679]|0-9][0-9][13579][01345789])[\-](02)[\-](0[1-9]|1[0-
324 9]|2[0-8])T((([01][0-9]|2[0-3]):[0-5][0-9])Z)"/>
325     </xs:restriction>
326 </xs:simpleType>
327 <xs:complexType name="ESMP_DateTimeInterval"
328 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTimeInterval">
329     <xs:sequence>

```

```
330         <xs:element name="start" type="YMDHM_DateTime" minOccurs="1"
331 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
332 cim16#DateTimeInterval.start"/>
333         <xs:element name="end" type="YMDHM_DateTime" minOccurs="1"
334 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
335 cim16#DateTimeInterval.end"/>
336     </xs:sequence>
337 </xs:complexType>
338 <xs:complexType name="Time_Period"
339 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Period">
340     <xs:sequence>
341         <xs:element name="timeInterval" type="ESMP_DateTimeInterval"
342 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
343 schema-cim16#Period.timeInterval"/>
344         <xs:element name="Reason" type="Reason" minOccurs="1"
345 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
346 cim16#Period.Reason"/>
347     </xs:sequence>
348 </xs:complexType>
349 <xs:complexType name="TimeSeries"
350 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#TimeSeries">
351     <xs:sequence>
352         <xs:element name="mRID" type="ID_String" minOccurs="1"
353 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
354 cim16#IdentifiedObject.mRID"/>
355         <xs:element name="version" type="ESMPVersion_String"
356 minOccurs="0" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
357 schema-cim16#TimeSeries.version"/>
358         <xs:element name="InError_Period" type="Time_Period"
359 minOccurs="0" maxOccurs="unbounded"
360 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
361 cim16#TimeSeries.InError_Period"/>
362         <xs:element name="Reason" type="Reason" minOccurs="0"
363 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
364 cim16#TimeSeries.Reason"/>
365     </xs:sequence>
366 </xs:complexType>
367 </xs:schema>
```