



European Network of
Transmission System Operators
for Electricity

SCHEDULE DOCUMENT UML MODEL AND SCHEMA

2019-07-10
APPROVED DOCUMENT
VERSION 1.1

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

Table of Contents

1	Objective	5
2	Schedule_MarketDocument	6
2.1	Schedule contextual model	6
2.1.1	Overview of the model	6
2.1.2	IsBasedOn relationships from the European style market profile	7
2.2	Schedule assembly model.....	8
2.2.1	Overview of the model	8
2.2.2	IsBasedOn relationships from the European style market profile	9
2.2.3	Detailed Schedule assembly model	9
2.2.3.1	Schedule_MarketDocument root class	9
2.2.3.2	Point	10
2.2.3.3	Reason	11
2.2.3.4	Series_Period	11
2.2.3.5	TimeSeries	12
2.2.4	Datatypes	14
2.2.5	Schedule_MarketDocument XML schema structure	15
2.2.6	Schedule_MarketDocument XML schema	16
List of figures		
Figure 1	- Schedule contextual model	6
Figure 2	- Schedule assembly model	8
Figure 3	- Schedule_MarketDocument schema structure.....	15
List of tables		
Table 1	- IsBasedOn dependency	7
Table 2	- IsBasedOn dependency	9
Table 3	- Attributes of Schedule assembly model::Schedule_MarketDocument	9
Table 4	- Association ends of Schedule assembly model::Schedule_MarketDocument with other classes	10
Table 5	- Attributes of Schedule assembly model::Point	10
Table 6	- Association ends of Schedule assembly model::Point with other classes.....	11
Table 7	- Attributes of Schedule assembly model::Reason	11
Table 8	- Attributes of Schedule assembly model::Series_Period	11
Table 9	- Association ends of Schedule assembly model::Series_Period with other classes	12
Table 10	- Attributes of Schedule assembly model::TimeSeries	12
Table 11	- Association ends of Schedule assembly model::TimeSeries with other classes	13

42

Copyright notice:

43 **Copyright © ENTSO-E. All Rights Reserved.**

44 This document and its whole translations may be copied and furnished to others, and derivative
45 works that comment on or otherwise explain it or assist in its implementation may be prepared,
46 copied, published and distributed, in whole or in part, without restriction of any kind, provided
47 that the above copyright notice and this paragraph are included on all such copies and
48 derivative works. However, this document itself may not be modified in any way, except for
49 literal and whole translation into languages other than English and under all circumstances, the
50 copyright notice or references to ENTSO-E may not be removed.

51 This document and the information contained herein is provided on an "as is" basis.

52 **ENTSO-E DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT**
53 **LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT**
54 **INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR**
55 **FITNESS FOR A PARTICULAR PURPOSE.**

56

Maintenance notice:

57 **This document is maintained by the ENTSO-E CIM EG. Comments or remarks are to be**
58 **provided at cim@entsoe.eu**

59

Revision History

Version	Release	Date	Comments
0	1	2017-01-19	First drafting of the document.
1	0	2017-01-30	Version to be submitted to Market Committee following WG EDI meeting in March 2017. Document approved by MC
1	1	2019-07-10	Updates in Schedule document v5.2: This version has into account the enlargement of mRID of Document, Series, TimeSeries, Auction and MarketAgreement from 35 to 60 characters. Approved by MC.

60

61 **1 Objective**

62 The purpose of this document is to provide the contextual and assembly UML models and the
63 schema of the Schedule_MarketDocument.

64 The schema of the Schedule_MarketDocument could be used in various business processes.

65 It is not the purpose of this document to describe all the use cases, sequence diagrams,
66 business processes, etc. for which this schema is to be used.

67 This document shall only be referenced in an implementation guide of a specific business
68 process. The content of the business process implementation guide shall be as follows:

- 69 • Description of the business process;
- 70 • Use case of the business process;
- 71 • Sequence diagrams of the business process;
- 72 • List of the schema (XSD) to be used in the business process and versions of the
73 schema;
- 74 • For each schema, dependency tables providing the necessary information for the
75 generation of the XML instances, i.e. when the optional attributes are to be used, which
76 codes from which ENTSO-E codelist are to be used.


77

78 **2 Schedule_MarketDocument**

79 **2.1 Schedule contextual model**

80 **2.1.1 Overview of the model**

81 Figure 1 shows the model.



82

83

Figure 1 - Schedule contextual model

84 **2.1.2 IsBasedOn relationships from the European style market profile**

85 Table 1 shows the traceability dependency of the classes used in this package towards the
86 upper level.

87 **Table 1 - IsBasedOn dependency**


Name	Complete IsBasedOn Path
Domain	TC57CIM::IEC62325::MarketManagement::Domain
MarketAgreement	TC57CIM::IEC62325::MarketManagement::MarketAgreement
MarketEvaluationPoint	TC57CIM::IEC62325::MarketManagement::MarketEvaluationPoint
MarketParticipant	TC57CIM::IEC62325::MarketCommon::MarketParticipant
MarketRole	TC57CIM::IEC62325::MarketCommon::MarketRole
Measure_Unit	TC57CIM::IEC62325::MarketManagement::Unit
Party_MarketParticipant	TC57CIM::IEC62325::MarketCommon::MarketParticipant
Point	TC57CIM::IEC62325::MarketManagement::Point
Process	TC57CIM::IEC62325::MarketManagement::Process
Reason	TC57CIM::IEC62325::MarketManagement::Reason
RegisteredResource	TC57CIM::IEC62325::MarketCommon::RegisteredResource
Schedule_MarketDocument	TC57CIM::IEC62325::MarketManagement::MarketDocument
Series_Period	TC57CIM::IEC62325::MarketManagement::Period
Time_Period	TC57CIM::IEC62325::MarketManagement::Period
TimeSeries	TC57CIM::IEC62325::MarketManagement::TimeSeries

88

89 2.2 Schedule assembly model

90 2.2.1 Overview of the model

91 Figure 2 shows the model.



92

93

Figure 2 - Schedule assembly model

94

95 **2.2.2 IsBasedOn relationships from the European style market profile**

96 Table 2 shows the traceability dependency of the classes used in this package towards the
97 upper level.

98

Table 2 - IsBasedOn dependency

Name	Complete IsBasedOn Path
Point	TC57CIM::IEC62325::MarketManagement::Point
Reason	TC57CIM::IEC62325::MarketManagement::Reason
Schedule_MarketDocument	TC57CIM::IEC62325::MarketManagement::MarketDocument
Series_Period	TC57CIM::IEC62325::MarketManagement::Period
TimeSeries	TC57CIM::IEC62325::MarketManagement::TimeSeries

99

100 **2.2.3 Detailed Schedule assembly model**

101 **2.2.3.1 Schedule_MarketDocument root class**

102 A schedule document provides the position of a party or a domain related to some market
103 information; it includes a set of time series.

104 An electronic document containing the information necessary to satisfy the requirements of a
105 given business process.

106 Table 3 shows all attributes of Schedule_MarketDocument.

107 **Table 3 - Attributes of Schedule assembly model::Schedule_MarketDocument**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	mRID ID_String	The unique identification of the document being exchanged within a business process flow.
1	[1..1]	revisionNumber ESMPVersion_String	The identification of the version that distinguishes one evolution of a document from another.
2	[1..1]	type MessageKind_String	The coded type of a document. The document type describes the principal characteristic of the document.
3	[1..1]	process.processType ProcessKind_String	The identification of the nature of process that the document addresses. --- The process dealt with in the document.
4	[1..1]	process.classificationType ClassificationKind_String	The classification mechanism used to group a set of objects together within a business process. The grouping may be of a detailed or a summary nature. --- The process dealt with in the document.
5	[1..1]	sender_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- Document owner.
6	[1..1]	sender_MarketParticipant.marketRole.type MarketRoleKind_String	The identification of the role played by a market player. --- Document owner. --- The role associated with a MarketParticipant.
7	[1..1]	receiver_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- Document recipient.
8	[1..1]	receiver_MarketParticipant.marketRole.type MarketRoleKind_String	The identification of the role played by a market player. --- Document recipient. --- The role associated with a MarketParticipant.

Order	mult.	Attribute name / Attribute type	Description
9	[1..1]	createdDateTime ESMP_DateTime	The date and time of the creation of the document.
10	[1..1]	schedule_Time_Period.timeInterval ESMP_DateTimeInterval	The start and end date and time for a given interval. --- This information provides the start and end date and time of the schedule time interval. All time intervals for the time series in the document shall be within the total time interval for the schedule. The receiver will discard any time intervals outside the schedule period.
11	[1..1]	domain.mRID AreaID_String	The unique identification of the domain. --- The identification of the domain that is covered in the schedule document. It is in general the market balance area that is the subject of the schedule plan.
12	[0..1]	subject_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- The party that is the subject of the documents time series.
13	[0..1]	subject_MarketParticipant.marketRole.type MarketRoleKind_String	The identification of the role played by a market player. --- The party that is the subject of the documents time series. --- The role associated with a MarketParticipant.
14	[0..1]	matching_Time_Period.timeInterval ESMP_DateTimeInterval	The start and end date and time for a given interval. --- This information provides the start and end date and time of the period to be matched. The matching period start date and time shall begin at the start of the schedule time interval or be within the bounds of the schedule time interval. The matching period end date and time shall be the same as that of the schedule time interval. It is this period that is being presented for matching. The period prior to the matching period is generally considered to be historical data and should correspond to the information received in previous transmissions.

108

109 Table 4 shows all association ends of Schedule_MarketDocument with other classes.

110 **Table 4 - Association ends of Schedule assembly model::Schedule_MarketDocument**
111 **with other classes**

Order	mult.	Class name / Role	Description
15	[0..*]	TimeSeries TimeSeries	The time series that is associated with an electronic document. Association Based On: Schedule contextual model::Schedule_MarketDocument.[] ----- Schedule contextual model::TimeSeries.TimeSeries[0..*]

112

113 2.2.3.2 Point

114 The identification of the values being addressed within a specific interval of time.

115 Table 5 shows all attributes of Point.

116 **Table 5 - Attributes of Schedule assembly model::Point**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	position Position_Integer	A sequential value representing the relative position within a given time interval.

Order	mult.	Attribute name / Attribute type	Description
1	[1..1]	quantity Decimal	The principal quantity identified for a point.

117

118 Table 6 shows all association ends of Point with other classes.

119 **Table 6 - Association ends of Schedule assembly model::Point with other classes**

Order	mult.	Class name / Role	Description
2	[0..*]	Reason Reason	At the Point level the reason code is used to identify the nature of a curtailment that has been imposed on the specified quantity. The Reason information associated with a Point providing motivation information. Association Based On: Schedule contextual model::Point.[] ----- Schedule contextual model::Reason.Reason[0..*]

120

121 2.2.3.3 Reason

122 The motivation of an act.

123 Table 7 shows all attributes of Reason.

124 **Table 7 - Attributes of Schedule assembly model::Reason**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	code ReasonCode_String	The motivation of an act in coded form.
1	[0..1]	text ReasonText_String	The textual explanation corresponding to the reason code.

125

126 2.2.3.4 Series_Period

127 The identification of the period of time corresponding to a given time interval and resolution.

128 Table 8 shows all attributes of Series_Period.

129 **Table 8 - Attributes of Schedule assembly model::Series_Period**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	timeInterval ESMP_DateTimeInterval	The start and end time of the period.
1	[1..1]	resolution Duration	The definition of the number of units of time that compose an individual step within a period.

130

131 Table 9 shows all association ends of Series_Period with other classes.

132 **Table 9 - Association ends of Schedule assembly model::Series_Period with other**
133 **classes**

Order	mult.	Class name / Role	Description
2	[1..*]	Point Point	The Point information associated with a given Series_Period.within a TimeSeries. Association Based On: Schedule contextual model::Series_Period.[] ----- Schedule contextual model::Point.Point[1..*]

134

135 **2.2.3.5 TimeSeries**

136 A set of time-ordered quantities being exchanged in relation to a product.

137 Table 10 shows all attributes of TimeSeries.

138 **Table 10 - Attributes of Schedule assembly model::TimeSeries**

Order	mult.	Attribute name / Attribute type	Description
0	[1..1]	mRID ID_String	A unique identification of the time series.
1	[1..1]	version ESMPVersion_String	The identification of the version of the time series.
2	[1..1]	businessType BusinessKind_String	The identification of the nature of the time series.
3	[1..1]	product EnergyProductKind_String	The identification of the nature of an energy product such as power, energy, reactive power, etc.
4	[1..1]	objectAggregation ObjectAggregationKind_String	The identification of the object (party, domain, etc.) that is the common denominator used to aggregate a time series.
5	[0..1]	in_Domain.mRID AreaID_String	The unique identification of the domain. --- The area where the product is being delivered.
6	[0..1]	out_Domain.mRID AreaID_String	The unique identification of the domain. --- The area where the product is being extracted.
7	[0..1]	marketEvaluationPoint.mRID MeasurementPointID_String	A unique identification of the measurement point. --- The identification of the location where one or more products are metered. This may be one physical location or the combination of several points together. The identification of a measurement point associated with a TimeSeries.
8	[0..1]	in_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- The identification of the party putting the product into the in area.
9	[0..1]	out_MarketParticipant.mRID PartyID_String	The identification of a party in the energy market. --- The identification of the party taking the product out of the out area.
10	[0..1]	marketAgreement.type CapacityContractKind_String	The specification of the kind of the agreement, e.g. long term, daily contract. --- The identification of an agreement associated with a time series.
11	[0..1]	marketAgreement.mRID ID_String	The unique identification of the agreement. --- The identification of an agreement associated with a time series.

Order	mult.	Attribute name / Attribute type	Description
12	[0..1]	connectingLine_RegisteredResource.mRID ResourceID_String	The unique identification of a resource. In the ESMP context, the "model authority" is defined as an authorized issuing office that provides an agreed identification coding scheme for market participant, domain, measurement point, resources (generator, lines, substations, etc.) identification. Master resource identifier issued by a model authority. The mRID is globally unique within an exchange context. Global uniqueness is easily achieved by using a UUID for the mRID. It is strongly recommended to do this. For CIMXML data files in RDF syntax, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements. --- The identification of a resource associated with a TimeSeries.
13	[1..1]	measurement_Unit.name MeasurementUnitKind_String	The identification of the formal code for a measurement unit (UN/ECE Recommendation 20). --- The unit of measurement used for the quantities expressed within the time series.
14	[0..1]	curveType CurveType_String	The identification of the coded representation of the type of curve being described.

139

140 Table 11 shows all association ends of TimeSeries with other classes.

141 **Table 11 - Association ends of Schedule assembly model::TimeSeries with other**
142 **classes**

Order	mult.	Class name / Role	Description
15	[1..*]	Series_Period Period	The time interval and resolution for a period associated with a TimeSeries. Association Based On: Schedule contextual model::TimeSeries.[] ----- Schedule contextual model::Series_Period.Period[1..*]
16	[0..1]	Reason Reason	At the TimeSeries level the reason code is used to enable processing of the reason text which, depending on market conditions, should be provided in intra day trading. In this context only one reason code has been defined (A48, modification reason). No other codes are permitted. Association Based On: Schedule contextual model::TimeSeries.[] ----- Schedule contextual model::Reason.Reason[0..1]

143


144

145 **2.2.4 Datatypes**

146 The list of datatypes used for the Schedule assembly model is as follows:

- 147 • ESMP_DateTimeInterval compound
- 148 • AreaID_String datatype, codelist CodingSchemeTypeList
- 149 • BusinessKind_String datatype, codelist BusinessTypeList
- 150 • CapacityContractKind_String datatype, codelist ContractTypeList
- 151 • ClassificationKind_String datatype, codelist ClassificationTypeList
- 152 • CurveType_String datatype, codelist CurveTypeList
- 153 • EnergyProductKind_String datatype, codelist EnergyProductTypeList
- 154 • ESMP_DateTime datatype
- 155 • ESMPVersion_String datatype
- 156 • ID_String datatype
- 157 • MarketRoleKind_String datatype, codelist RoleTypeList
- 158 • MeasurementPointID_String datatype, codelist CodingSchemeTypeList
- 159 • MeasurementUnitKind_String datatype, codelist UnitOfMeasureTypeList
- 160 • MessageKind_String datatype, codelist MessageTypeList
- 161 • ObjectAggregationKind_String datatype, codelist ObjectAggregationTypeList
- 162 • PartyID_String datatype, codelist CodingSchemeTypeList
- 163 • Position_Integer datatype
- 164 • ProcessKind_String datatype, codelist ProcessTypeList
- 165 • ReasonCode_String datatype, codelist ReasonCodeTypeList
- 166 • ReasonText_String datatype
- 167 • ResourceID_String datatype, codelist CodingSchemeTypeList
- 168 • YMDHM_DateTime datatype
- 169

170 2.2.5 Schedule_MarketDocument XML schema structure



171
172

Generated by XMLSpy

www.altova.com

Figure 3 - Schedule_MarketDocument schema structure

173 2.2.6 Schedule_MarketDocument XML schema

174

175 The schema to be used to validate XML instances is to be identified by:

176 urn:iec62325.351:tc57wg16:451-2:scheduledocument:5:2

```

177 <?xml version="1.0" encoding="utf-8"?>
178 <xs:schema xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
179 xmlns="urn:iec62325.351:tc57wg16:451-2:scheduledocument:5:2"
180 xmlns:sawsdl="http://www.w3.org/ns/sawsdl"
181 xmlns:cimp="http://www.iec.ch/cimprofile"
182 xmlns:xs="http://www.w3.org/2001/XMLSchema"
183 targetNamespace="urn:iec62325.351:tc57wg16:451-2:scheduledocument:5:2"
184 elementFormDefault="qualified" attributeFormDefault="unqualified">
185   <xs:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="urn-
186 entsoe-eu-wgedi-codelists.xsd"/>
187   <xs:element name="Schedule_MarketDocument" type="Schedule_MarketDocument"/>
188   <xs:simpleType name="Position_Integer"
189 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Integer">
190     <xs:restriction base="xs:integer">
191       <xs:maxInclusive value="999999"/>
192       <xs:minInclusive value="1"/>
193     </xs:restriction>
194   </xs:simpleType>
195   <xs:complexType name="Point"
196 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Point">
197     <xs:sequence>
198       <xs:element name="position" type="Position_Integer"
199 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
200 schema-cim16#Point.position"/>
201       <xs:element name="quantity" type="xs:decimal" minOccurs="1"
202 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
203 cim16#Point.quantity"/>
204       <xs:element name="Reason" type="Reason" minOccurs="0"
205 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
206 cim16#Point.Reason"/>
207     </xs:sequence>
208   </xs:complexType>
209   <xs:simpleType name="ReasonCode_String"
210 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
211     <xs:restriction base="ecl:ReasonCodeTypeList"/>
212   </xs:simpleType>
213   <xs:simpleType name="ReasonText_String"
214 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
215     <xs:restriction base="xs:string">
216       <xs:maxLength value="512"/>
217     </xs:restriction>
218   </xs:simpleType>
219   <xs:complexType name="Reason"
220 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Reason">
221     <xs:sequence>
222       <xs:element name="code" type="ReasonCode_String" minOccurs="1"
223 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
224 cim16#Reason.code"/>
225       <xs:element name="text" type="ReasonText_String" minOccurs="0"
226 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
227 cim16#Reason.text"/>
228     </xs:sequence>
229   </xs:complexType>

```



```

230     <xs:simpleType name="ID_String"
231 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
232     <xs:restriction base="xs:string">
233         <xs:maxLength value="60"/>
234     </xs:restriction>
235 </xs:simpleType>
236     <xs:simpleType name="ESMPVersion_String"
237 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
238     <xs:restriction base="xs:string">
239         <xs:pattern value="[1-9]([0-9]){0,2}"/>
240     </xs:restriction>
241 </xs:simpleType>
242     <xs:simpleType name="MessageKind_String"
243 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
244     <xs:restriction base="ecl:MessageTypeList"/>
245 </xs:simpleType>
246     <xs:simpleType name="ProcessKind_String"
247 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
248     <xs:restriction base="ecl:ProcessTypeList"/>
249 </xs:simpleType>
250     <xs:simpleType name="ClassificationKind_String"
251 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
252     <xs:restriction base="ecl:ClassificationTypeList"/>
253 </xs:simpleType>
254     <xs:simpleType name="PartyID_String-base"
255 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
256     <xs:restriction base="xs:string">
257         <xs:maxLength value="16"/>
258     </xs:restriction>
259 </xs:simpleType>
260     <xs:complexType name="PartyID_String"
261 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
262     <xs:simpleContent>
263         <xs:extension base="PartyID_String-base">
264             <xs:attribute name="codingScheme"
265 type="ecl:CodingSchemeTypeList" use="required"/>
266         </xs:extension>
267     </xs:simpleContent>
268 </xs:complexType>
269     <xs:simpleType name="MarketRoleKind_String"
270 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
271     <xs:restriction base="ecl:RoleTypeList"/>
272 </xs:simpleType>
273     <xs:simpleType name="ESMP_DateTime"
274 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTime">
275     <xs:restriction base="xs:dateTime">
276         <xs:pattern value="((([0-9]{4})[\-](0[13578]|1[02]))[\-](0[1-
277 9]|12|[0-9]|3[01]))|([0-9]{4})[\-]((0[469])|(11))[\-](0[1-9]|12|[0-
278 9]|30))T((([01][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-
279 9])Z)|(((13579)[26][02468][048]|13579[01345789](0)[48]|13579[01345789][2468][0
280 48]|02468[048][02468][048]|02468[1235679](0)[48]|02468[1235679][2468][048]|
281 0-9[0-9][13579][26])[\-](02)[\-](0[1-9]|1[0-9]|2[0-9])T((([01][0-9]|2[0-3]):[0-
282 5][0-9]:[0-5][0-
283 9])Z)|(((13579)[26][02468][1235679]|13579[01345789](0)[01235679]|13579[0134578
284 9][2468][1235679]|02468[048][02468][1235679]|02468[1235679](0)[01235679]|0246
285 8[1235679][2468][1235679]|0-9[0-9][13579][01345789])[\-](02)[\-](0[1-9]|1[0-
286 9]|2[0-8])T((([01][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9])Z)"/>
287     </xs:restriction>
288 </xs:simpleType>
    
```

```

289     <xs:simpleType name="AreaID_String-base"
290 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
291     <xs:restriction base="xs:string">
292     <xs:maxLength value="18"/>
293     </xs:restriction>
294 </xs:simpleType>
295 <xs:complexType name="AreaID_String"
296 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
297 <xs:simpleContent>
298 <xs:extension base="AreaID_String-base">
299 <xs:attribute name="codingScheme"
300 type="ecl:CodingSchemeTypeList" use="required"/>
301 </xs:extension>
302 </xs:simpleContent>
303 </xs:complexType>
304 <xs:simpleType name="YMDHM_DateTime"
305 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTime">
306 <xs:restriction base="xs:string">
307 <xs:pattern value="((([0-9]{4})[\-](0[13578]|1[02]))[\-](0[1-
308 9]|[12][0-9]|3[01])|([0-9]{4})[\-]((0[469])|(11))[\-](0[1-9]|[12][0-
309 9]|30))T((([01][0-9]|2[0-3]):[0-5][0-
310 9])Z)|(((13579)[26][02468][048]|13579[01345789](0)[48]|13579[01345789][2468][0
311 48]|02468[048][02468][048]|02468[1235679](0)[48]|02468[1235679][2468][048]|[
312 0-9][0-9][13579][26])[\-](02)[\-](0[1-9]|1[0-9]|2[0-9])T((([01][0-9]|2[0-3]):[0-
313 5][0-
314 9])Z)|(((13579)[26][02468][1235679]|13579[01345789](0)[01235679]|13579[0134578
315 9][2468][1235679]|02468[048][02468][1235679]|02468[1235679](0)[01235679]|0246
316 8[1235679][2468][1235679]|0-9][0-9][13579][01345789])[\-](02)[\-](0[1-9]|1[0-
317 9]|2[0-8])T((([01][0-9]|2[0-3]):[0-5][0-9])Z)"/>
318 </xs:restriction>
319 </xs:simpleType>
320 <xs:complexType name="ESMP_DateTimeInterval"
321 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#DateTimeInterval">
322 <xs:sequence>
323 <xs:element name="start" type="YMDHM_DateTime" minOccurs="1"
324 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
325 cim16#DateTimeInterval.start"/>
326 <xs:element name="end" type="YMDHM_DateTime" minOccurs="1"
327 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
328 cim16#DateTimeInterval.end"/>
329 </xs:sequence>
330 </xs:complexType>
331 <xs:complexType name="Schedule_MarketDocument"
332 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketDocument">
333 <xs:sequence>
334 <xs:element name="mRID" type="ID_String" minOccurs="1"
335 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
336 cim16#IdentifiedObject.mRID"/>
337 <xs:element name="revisionNumber" type="ESMPVersion_String"
338 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
339 schema-cim16#Document.revisionNumber"/>
340 <xs:element name="type" type="MessageKind_String" minOccurs="1"
341 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
342 cim16#Document.type"/>
343 <xs:element name="process.processType"
344 type="ProcessKind_String" minOccurs="1" maxOccurs="1"
345 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
346 cim16#Process.processType"/>
347 <xs:element name="process.classificationType"
348 type="ClassificationKind_String" minOccurs="1" maxOccurs="1"

```

```

349 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
350 cim16#Process.classificationType"/>
351     <xs:element name="sender_MarketParticipant.mRID"
352 type="PartyID_String" minOccurs="1" maxOccurs="1"
353 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
354 cim16#IdentifiedObject.mRID"/>
355     <xs:element name="sender_MarketParticipant.marketRole.type"
356 type="MarketRoleKind_String" minOccurs="1" maxOccurs="1"
357 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketRole.type"/>
358     <xs:element name="receiver_MarketParticipant.mRID"
359 type="PartyID_String" minOccurs="1" maxOccurs="1"
360 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
361 cim16#IdentifiedObject.mRID"/>
362     <xs:element name="receiver_MarketParticipant.marketRole.type"
363 type="MarketRoleKind_String" minOccurs="1" maxOccurs="1"
364 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketRole.type"/>
365     <xs:element name="createdDateTime" type="ESMP_DateTime"
366 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
367 schema-cim16#Document.createdDateTime"/>
368     <xs:element name="schedule_Time_Period.timeInterval"
369 type="ESMP_DateTimeInterval" minOccurs="1" maxOccurs="1"
370 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
371 cim16#Period.timeInterval"/>
372     <xs:element name="domain.mRID" type="AreaID_String"
373 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
374 schema-cim16#IdentifiedObject.mRID"/>
375     <xs:element name="subject_MarketParticipant.mRID"
376 type="PartyID_String" minOccurs="0" maxOccurs="1"
377 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
378 cim16#IdentifiedObject.mRID"/>
379     <xs:element name="subject_MarketParticipant.marketRole.type"
380 type="MarketRoleKind_String" minOccurs="0" maxOccurs="1"
381 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#MarketRole.type"/>
382     <xs:element name="matching_Time_Period.timeInterval"
383 type="ESMP_DateTimeInterval" minOccurs="0" maxOccurs="1"
384 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
385 cim16#Period.timeInterval"/>
386     <xs:element name="TimeSeries" type="TimeSeries" minOccurs="0"
387 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
388 cim16#MarketDocument.TimeSeries"/>
389 </xs:sequence>
390 </xs:complexType>
391 <xs:complexType name="Series_Period"
392 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Period">
393 <xs:sequence>
394 <xs:element name="timeInterval" type="ESMP_DateTimeInterval"
395 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
396 schema-cim16#Period.timeInterval"/>
397 <xs:element name="resolution" type="xs:duration" minOccurs="1"
398 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
399 cim16#Period.resolution"/>
400 <xs:element name="Point" type="Point" minOccurs="1"
401 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
402 cim16#Period.Point"/>
403 </xs:sequence>
404 </xs:complexType>
405 <xs:simpleType name="BusinessKind_String"
406 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
407 <xs:restriction base="ecl:BusinessTypeList"/>
408 </xs:simpleType>

```

```

409     <xs:simpleType name="EnergyProductKind_String"
410 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
411         <xs:restriction base="ecl:EnergyProductTypeList"/>
412     </xs:simpleType>
413     <xs:simpleType name="ObjectAggregationKind_String"
414 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
415         <xs:restriction base="ecl:ObjectAggregationTypeList"/>
416     </xs:simpleType>
417     <xs:simpleType name="MeasurementPointID_String-base"
418 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
419         <xs:restriction base="xs:string">
420             <xs:maxLength value="35"/>
421         </xs:restriction>
422     </xs:simpleType>
423     <xs:complexType name="MeasurementPointID_String"
424 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
425         <xs:simpleContent>
426             <xs:extension base="MeasurementPointID_String-base">
427                 <xs:attribute name="codingScheme"
428 type="ecl:CodingSchemeTypeList" use="required"/>
429             </xs:extension>
430         </xs:simpleContent>
431     </xs:complexType>
432     <xs:simpleType name="CapacityContractKind_String"
433 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
434         <xs:restriction base="ecl:ContractTypeList"/>
435     </xs:simpleType>
436     <xs:simpleType name="ResourceID_String-base"
437 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
438         <xs:restriction base="xs:string">
439             <xs:maxLength value="60"/>
440         </xs:restriction>
441     </xs:simpleType>
442     <xs:complexType name="ResourceID_String"
443 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
444         <xs:simpleContent>
445             <xs:extension base="ResourceID_String-base">
446                 <xs:attribute name="codingScheme"
447 type="ecl:CodingSchemeTypeList" use="required"/>
448             </xs:extension>
449         </xs:simpleContent>
450     </xs:complexType>
451     <xs:simpleType name="MeasurementUnitKind_String"
452 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
453         <xs:restriction base="ecl:UnitOfMeasureTypeList"/>
454     </xs:simpleType>
455     <xs:simpleType name="CurveType_String"
456 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#String">
457         <xs:restriction base="ecl:CurveTypeList"/>
458     </xs:simpleType>
459     <xs:complexType name="TimeSeries"
460 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#TimeSeries">
461         <xs:sequence>
462             <xs:element name="mRID" type="ID_String" minOccurs="1"
463 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
464 cim16#IdentifiedObject.mRID"/>
465             <xs:element name="version" type="ESMPVersion_String"
466 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
467 schema-cim16#TimeSeries.version"/>
    
```

```

468         <xs:element name="businessType" type="BusinessKind_String"
469 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
470 schema-cim16#TimeSeries.businessType"/>
471         <xs:element name="product" type="EnergyProductKind_String"
472 minOccurs="1" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
473 schema-cim16#TimeSeries.product"/>
474         <xs:element name="objectAggregation"
475 type="ObjectAggregationKind_String" minOccurs="1" maxOccurs="1"
476 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
477 cim16#TimeSeries.objectAggregation"/>
478         <xs:element name="in_Domain.mRID" type="AreaID_String"
479 minOccurs="0" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
480 schema-cim16#IdentifiedObject.mRID"/>
481         <xs:element name="out_Domain.mRID" type="AreaID_String"
482 minOccurs="0" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
483 schema-cim16#IdentifiedObject.mRID"/>
484         <xs:element name="marketEvaluationPoint.mRID"
485 type="MeasurementPointID_String" minOccurs="0" maxOccurs="1"
486 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
487 cim16#IdentifiedObject.mRID"/>
488         <xs:element name="in_MarketParticipant.mRID"
489 type="PartyID_String" minOccurs="0" maxOccurs="1"
490 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
491 cim16#IdentifiedObject.mRID"/>
492         <xs:element name="out_MarketParticipant.mRID"
493 type="PartyID_String" minOccurs="0" maxOccurs="1"
494 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
495 cim16#IdentifiedObject.mRID"/>
496         <xs:element name="marketAgreement.type"
497 type="CapacityContractKind_String" minOccurs="0" maxOccurs="1"
498 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Document.type"/>
499         <xs:element name="marketAgreement.mRID" type="ID_String"
500 minOccurs="0" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
501 schema-cim16#IdentifiedObject.mRID"/>
502         <xs:element name="connectingLine_RegisteredResource.mRID"
503 type="ResourceID_String" minOccurs="0" maxOccurs="1"
504 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
505 cim16#IdentifiedObject.mRID"/>
506         <xs:element name="measurement_Unit.name"
507 type="MeasurementUnitKind_String" minOccurs="1" maxOccurs="1"
508 sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-cim16#Unit.name"/>
509         <xs:element name="curveType" type="CurveType_String"
510 minOccurs="0" maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-
511 schema-cim16#TimeSeries.curveType"/>
512         <xs:element name="Period" type="Series_Period" minOccurs="1"
513 maxOccurs="unbounded" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
514 cim16#TimeSeries.Period"/>
515         <xs:element name="Reason" type="Reason" minOccurs="0"
516 maxOccurs="1" sawsdl:modelReference="http://iec.ch/TC57/2013/CIM-schema-
517 cim16#TimeSeries.Reason"/>
518     </xs:sequence>
519 </xs:complexType>
520 </xs:schema>

```